Author Index of Volume 212

Abdenadher, C., 51
Adams, H., 65
Aguinaga, S., 225
Ahbala, M., 51
Akashi, H., 251
Al-Resayes, S.I., 265
Ara, I., 105
Aratake, Y., 183

Bailey, N.A., 65
Balch, A.L., 149
Bond, A.H., 225
Bond, A.M., 233
Bott, S.G., 1
Brennan, J.G., 219
Brudvig, G.W., 135

Casey, C.P., 81
Castel, A., 51
Caulton, K.G., 165
Chaudhuri, P., 241
Chen, Q., 199
Colacio, E., 115
Colton, R., 233
Contant, R., 41
Cornia, A., 87
Costello, M.T., 157
Cotton, F.A., 95
Crabtree, R.H., 135
Craighead, K.L., 31

Davis, B.J., 149
Davis, C.M., 317
Della Pergola, R., 75
Desor, D., 51
Diana, E., 75
Dickson, R.S., 139
Didiuk, M., 135
Dominguez-Vera, J.M., 115

Fabretti, A.C., 87
Fallon, G.D., 139
Falvello, L.R., 105
Fanwick, P.E., 23, 157
Fehlhammer, W.P., 207
Felicissimo, A.M.P., 31
Fenton, D.E., 65
Ferraro, F., 87
Fleischhauer, P., 241
Flörke, U., 241
Folting, K., 165
Forniés, J., 105
Fung, E.Y., 149

Gatteschi, D., 87
Giusti, A., 87
Glerup, J., 281
Gobetto, R., 311
Goodson, P.A., 281
Gorter, S., 289
Greaves, B.C., 139
Gulbrandsen, A., 271

Haase, W., 241
Haasnoot, J.G., 289
Harvey, J., 233
Haupt, H.-J., 241
Hayashi, R.K., 81
Ho, Y.-S., 65
Hodgson, D.J., 281

Ito, T., 175

Jacobson, R.A., 337
Jansen, J., 289
Jeannin, S., 323
Jeannin, Y., 323
Jennings, M.C., 191
Johnson, B.F.G., 69

Kahn, O., 271
Kettle, S.F.A., 69, 75
Khan, M.I., 199
King, R.B., 57
Kivekäs, R., 115
Kooijman, H., 289
Krogstad, D.A., 31
Kuroya, H., 251
Kwon, Y.-U., 219

Laschi, F., 311

Ma, L., 303
Manchanda, R., 135
Manojlović-Muir, Lj., 191
Martell, A.E., 15
Matsumoto, K., 251
Matsumoto, N., 183
Maurya, M.R., 337
Milone, L., 311
Mingos, D.M.P., 5
Moreno, J.M., 115
Motekaitis, R.J., 15
Muir, K.W., 191
Mwariri, B.N., 191

Nagasawa, A., 175
Nakatani, K., 271
Nelson, L.T.J., 31
Nervi, C., 311
Nixon, J.F., 265

Ohba, M., 183
Ōkawa, H., 183
Olmstead, M.M., 149
Ooi, S., 251
Osella, D., 311

Pei, Y., 271
Pignolet, L.H., 31
Poli, R., 123
Puddephatt, R.J., 191

Ravera, M., 311
Reedijk, J., 289
Reyes, A., 225
Richmond, M.G., 1
Ringrose, S.L., 337
Rivière, P., 51
Rogers, R.D., 225
Rohl, A.L., 5
Romerosa, A., 115
Rosenberger, C., 323
Rossetti, R., 69
Rothfuss, H., 165
Ruiz, J., 115

Sakiyama, H., 183
Sarneski, J.E., 135
Sasaki, Y., 175
Satgé, J., 51
Schrier, P.W., 157
Schrölkamp, S., 207
Shang, M., 95
Shapley, J.R., 303
Shibahara, T., 251
Shih, K.-Y., 23
Skelton, B.W., 139
Slangen, P.M., 289
Sletten, J., 271
Smeets, W.J.J., 289
Smith, J.M., 1
Spek, A.L., 289
Spencer, J.T., 317
Sperber, W., 207
Stanghellini, P.L., 69, 75
Steigerwald, M.L., 219
Stein, E., 311
Stuczynski, S.M., 219
Sun, Z.S., 95

Tadokoro, M., 183
Thouvenot, R., 41
Tokiwa-Yamamoto, A., 175
Torralba, R.C., 123
Traeger, J.C., 233

Usón, I., 105
Usón, R., 105
Utley, W.B., 15

van Koningsbruggen, P.J., 289
Vennos, D.A., 219

Walton, R.A., 23, 157
Weihe, H., 281
White, A.H., 139
Widenhoefer, R.A., 81
Winter, M., 241
Woo, L.K., 337

Yang, K., 1

Zanello, P., 311
Zubieta, J., 199

Subject Index of Volume 212

Alkoxide complexes
borane cluster photochemistry. 2. Photochemical alcoholysis of the octahydrotriborate(1−) anion, 317
Aquo complexes
substitution of methanol-d_4 for the coordinated water in the trinuclear complexes, $[M_3(\mu_3\text{-}O)(\mu\text{-}CH_3COO)_6(H_2O)_3]^+$ ($M_3 = Ru_3$, Rh_3 or Ru_2Rh) in methanol-d_4, 175
Aryl complexes
synthesis and reactivity of 1,1,2,2-tetraphenyl 1,2-digermyldilithium, 51

Bidentate ligand complexes
reactions of the electron-rich triply bonded dirhenium(II) complexes $Re_2X_4(\mu\text{-dppm})_2$ (X = Cl, Br) with dioxygen. Part II. The synthesis and structural characterization of the complexes $ReOCl_3$(dppmO) (dppmO = $Ph_2PCH_2P(O)Ph_2$) and $Re_2(\mu\text{-}O)Cl_6(\mu\text{-dppm})_2$, 23
Bidentate phosphine ligand complexes
tetrahedrane cluster and phosphorus ligand activation in the reaction between $PhCCo_3(CO)_9$ and 2,3-bis-(diphenylphosphino)maleic anhydride. Molecular structure of $Co_3(CO)_6(\mu_2\text{-}\eta^2\text{-}\eta^1\text{-}\overline{C(Ph)C{=}C(PPh_2)C(O)OC}\text{-}(O))(\mu_2\text{-}PPh_2)$, 1
Bimetallic complexes
structures and magnetic properties of Co(II)Cu(II) and Ni(II)Cu(II) compounds incorporating the obp = oxamidobis(*N,N'*-propionato) ligand, 271
Binuclear complexes
formation of a high valent di-μ-oxo manganese dimer in aqueous solution, 135
synthesis and ^{31}P and ^{195}Pt NMR characterisation of the first binuclear platinum(I) complex $[Pt_2Cl_2(\mu\text{-dppm})_2(\mu\text{-Bu}^t\text{CP})]$ containing a μ-parallel ligated phospha-alkyne, 265
Binucleating ligand complexes
iron(II) and sulfate binding by the binucleating ligands O-BISDIEN, O-BISTREN and O-BISBAMP, 15
Boron complexes
borane cluster photochemistry 2. Photochemical alcoholysis of the octahydrotriborate(1−) anion, 317

Cadmium complexes
polyethylene glycol complexation of Cd^{2+}. Structures of triethylene glycol complexes of $CdCl_2$, $CdBr_2$ and CdI_2, 225
new insights into the constitution of solutions containing labile, polynuclear compounds: an electrospray mass spectrometric study of mercury- and cadmium-rich dithiocarbamato cations, 233
Carbonyl complexes
tetrahedrane cluster and phosphorus ligand activation in the reaction between $PhCCo_3(CO)_9$ and 2,3-bis-(diphenylphosphino)maleic anhydride. Molecular structure of $Co_3(CO)_6(\mu_2\text{-}\eta^2\text{-}\eta^1\text{-}\overline{C(Ph)C{=}C(PPh_2)C(O)OC}\text{-}(O))(\mu_2\text{-}PPh_2)$, 1
metal cluster topology. 14. Fusion of octahedra in metal carbonyl clusters, 57
interpretation of the ν(CO) vibrational spectra of cluster compounds: $Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-}C_6H_6)$, 69
interpretation of the ν(CO) vibrational spectra of cluster compounds: tetrahedral anions $[Fe_2Ir_2(CO)_{12}]^{2-}$, $[HFe_2Ir_2(CO)_{12}]^-$ and $[FeIr_3(CO)_{12}]$, 75
binding modes of cyanide at trinuclear clusters. Crystal structure of $[Pt_3(\mu_3\text{-CO})(CN)(dppm)_3][PF_6]$, 191
selective substitution and oxidative addition reactions at the iridium vertex in $[Re_7C(CO)_{21}Ir(C_8H_{14})(CO)]^{2-}$ and related clusters, 303
electrochemical behaviour of tropone diiron pentacarbonyl complexes, $Fe_2(CO)_5[(RC_2R)_3CO]$ (R = Me, Et, n-Pr). Formation of a carbon–carbon bond upon reduction, 311
reaction of unsymmetrical thioalkynes $R\text{–}C{\equiv}C\text{–}SC_2H_5$, $R = CH_3$, C_6H_5, with iron and ruthenium carbonyls. How to build a polynuclear compound using the C–S cleavage, 323
Carboxylate complexes
structure and magnetic properties of a *syn–anti* carboxylate bridged linear trinuclear copper(II) complex with ferromagnetic exchange interaction, 115
substitution of methanol-d_4 for the coordinated water in the trinuclear complexes, $[M_3(\mu_3\text{-}O)(\mu\text{-}CH_3COO)_6(H_2O)_3]^+$ ($M_3 = Ru_3$, Rh_3 or Ru_2Rh) in methanol-d_4, 175
Chelate complexes
reactions of the electron-rich triply bonded dirhenium(II) complexes $Re_2X_4(\mu\text{-dppm})_2$ (X = Cl, Br) with dioxygen. Part II. The synthesis and structural characterization of the complexes $ReOCl_3$(dppmO) (dppmO = $Ph_2PCH_2P(O)Ph_2$) and $Re_2(\mu\text{-}O)Cl_6(\mu\text{-dppm})_2$, 23
Chromium complexes
structural and magnetic characterization of an adamantane-like complex ion of chromium(III) and 1,3,5-triaminocyclohexane, $[Cr_4(tach)_4(OH)_6]$, 281
Cluster complexes
size and shape of molecular ions and their relevance to the packing of the 'soft salts', 5
halide derivatives of palladium–gold cluster compounds. X-ray crystal and molecular structure of $(I)Pd(AuPPh_3)_7(AuI)_2$, 31
metal cluster topology. 14. Fusion of octahedra in metal carbonyl clusters, 57
interpretation of the ν(CO) vibrational spectra of cluster compounds: $Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-}C_6H_6)$, 69
interpretation of the ν(CO) vibrational spectra of cluster compounds: tetrahedral anions $[Fe_2Ir_2(CO)_{12}]^{2-}$, $[HFe_2Ir_2(CO)_{12}]^-$ and $[FeIr_3(CO)_{12}]$, 75
preparation of the new species $[W_3(\mu_3\text{-}O)(\mu\text{-}Cl)_2(\mu\text{-}O_2CMe)_4Cl_3]^-$ and $[Mo_3(\mu_3\text{-}O)(\mu\text{-}Cl)_4(\mu\text{-}O_2CMe)_2Cl_2(PMe_3)_2]^-$ that bracket, structurally, the very common $M_3(\mu_3\text{-}O)(\mu\text{-}X)_3(\mu\text{-}O_2CR_3)_3L_3$ type of cluster compound, 95
hydrothermal syntheses and structures of reduced and mixed valence polyoxovanadium clusters with capped cage cores: $K_3[H_{12}(AsO)_2(AsO_4)V_6^{IV}V_6^{V}O_{36}]\cdot 12H_2O$ and $Rb_5[(As_2O)_4(VO)_2V_{12}^{IV}O_{36}Cl]\cdot 2H_2O$, 199
clusters in the step-by-step growth of solids, 219

selective substitution and oxidative addition reactions at the iridium vertex in $[Re_7C(CO)_{21}Ir(C_8H_{14})(CO)]^{2-}$ and related clusters, 303

Cluster topology

metal cluster topology. 14. Fusion of octahedra in metal carbonyl clusters, 57

Cobalt complexes

tetrahedrane cluster and phosphorus ligand activation in the reaction between $PhCCo_3(CO)_9$ and 2,3-bis-(diphenylphosphino)maleic anhydride. Molecular structure of $Co_3(CO)_6(\mu_2\text{-}\eta^2\text{-}\eta^1\text{-}C(Ph)C{=}C(PPh_2)C(O)OC(O))(\mu_2\text{-}PPh_2)$, 1

reaction of NO with $Cp^*_3Co_3(\mu\text{-}H)_4$ preserves the tricobalt cluster and produces $Cp^*_3Co_3(\mu_3\text{-}NO)_2$, 81

structures and magnetic properties of Co(II)Cu(II) and Ni(II)Cu(II) compounds incorporating the obp = oxamidobis(*N,N'*-propionato) ligand, 271

Copolymer complexes

a chain copolymer from $WCl_2(PMe_2Ph)_4$ and $[TlOCH_2CF_3]_4$, 165

Copper complexes

molecular structure and magnetic properties of copper(II), manganese(II) and iron(II) croconate tri-hydrate, 87

structure and magnetic properties of a *syn–anti* carboxylate bridged linear trinuclear copper(II) complex with ferromagnetic exchange interaction, 115

structures and magnetic properties of Co(II)Cu(II) and Ni(II)Cu(II) compounds incorporating the obp = oxamidobis(*N,N'*-propionato) ligand, 271

synthesis, characterization, crystal structures and magnetic properties of di- and polynuclear bis(μ-3-pyridin-2-yl-1,2,4-triazolato)copper(II) compounds containing *N*-methylimidazole, pyrazole or 4,4'-bipyridine as co-ligands, 289

Croconate complexes

molecular structure and magnetic properties of copper(II), manganese(II) and iron(II) croconate tri-hydrate, 87

Crystal structures

tetrahedrane cluster and phosphorus ligand activation in the reaction between $PhCCo_3(CO)_9$ and 2,3-bis-(diphenylphosphino)maleic anhydride. Molecular structure of $Co_3(CO)_6(\mu_2\text{-}\eta^2\text{-}\eta^1\text{-}C(Ph)C{=}C(PPh_2)C(O)OC(O))(\mu_2\text{-}PPh_2)$, 1

reactions of the electron-rich triply bonded dirhenium(II) complexes $Re_2X_4(\mu\text{-dppm})_2$ (X = Cl, Br) with dioxygen. Part II. The synthesis and structural characterization of the complexes $ReOCl_3(dppmO)$ (dppmO = $Ph_2PCH_2P(O)Ph_2$) and $Re_2(\mu\text{-}O)Cl_6(\mu\text{-dppm})_2$, 23

halide derivatives of palladium–gold cluster compounds. X-ray crystal and molecular structure of $(I)Pd(AuPPh_3)_7(AuI)_2$, 31

a polymeric tetraimine Schiff base macrocyclic complex of silver(I), 65

reaction of NO with $Cp^*_3Co_3(\mu\text{-}H)_4$ preserves the tricobalt cluster and produces $Cp^*_3Co_3(\mu_3\text{-}NO)_2$, 81

molecular structure and magnetic properties of copper(II), manganese(II) and iron(II) croconate tri-hydrate, 87

preparation of the new species $[W_3(\mu_3\text{-}O)(\mu\text{-}Cl)_2(\mu\text{-}O_2CMe)_4Cl_3]^-$ and $[Mo_3(\mu_3\text{-}O)(\mu\text{-}Cl)_4(\mu\text{-}O_2CMe)_2Cl_2(PMe_3)_2]^-$ that bracket, structurally, the very common $M_3(\mu_3\text{-}O)(\mu\text{-}X)_3(\mu\text{-}O_2CR_3)_3L_3$ type of cluster compound, 95

pentafluorophenyl trinuclear $[Pt_2Hg]$ and hexanuclear $[Pt_4Hg_2]$ anionic complexes containing unbridged Pt–Hg bonds and OH bridges, 105

structure and magnetic properties of a *syn–anti* carboxylate bridged linear trinuclear copper(II) complex with ferromagnetic exchange interaction, 115

retention of dinitrogen in the reactions of some diazoalkanes with a dirhodium complex. Crystal and molecular structures of $(\eta\text{-}C_5H_5)_2Rh_2\{CF_3C_2CF_3\cdot CO\cdot N_2CRR'\}$, RR' = MePh and $(t\text{-}Bu)_2$, 139

palladium–thallium interactions in dinuclear complexes with structural components that place the two metal centers in close proximity, 149

dirhenium complexes of the tripodal phosphine $CH_3C(CH_2PPh_2)_3$ (triphos). The isolation and characterization of the confacial bioctahedral species $[(triphos)Re(\mu\text{-}X)_3Re(triphos)]^{n+}$ (n = 1 or 0), 157

a chain copolymer from $WCl_2(PMe_2Ph)_4$ and $[TlOCH_2CF_3]_4$, 165

dinuclear nickel(II) complexes of a series of dinucleating macrocycles with similar or dissimilar coordination sites: synthesis, structure and physicochemical property, 183

binding modes of cyanide at trinuclear clusters. Crystal structure of $[Pt_3(\mu_3\text{-}CO)(CN)(dppm)_3][PF_6]$, 191

hydrothermal syntheses and structures of reduced and mixed valence polyoxovanadium clusters with capped cage cores: $K_3[H_{12}(AsO)_2(AsO_4)V_6^{IV}V_6^{V}O_{36}]\cdot 12H_2O$ and $Rb_5[(As_2O)_4(VO)_2V_{12}^{IV}O_{36}Cl]\cdot 2H_2O$, 199

a bis(μ-isocyanide diiron) complex as chelating ligand towards iron(II), palladium(II), zinc(II) and cadmium(II). X-ray structural assessment of a novel isocyanide bridging mode, 207

polyethylene glycol complexation of Cd^{2+}. Structures of triethylene glycol complexes of $CdCl_2$, $CdBr_2$ and CdI_2, 225

synthesis, structure and magnetism of a tetranuclear Fe(III) complex containing an $[Fe_4(\mu_3\text{-}O)_2]^{8+}$ core, 241

syntheses and characterization of cubane-type clusters, $[Mo_4S_4(edta)_2]^{n-}$ (n = 2–4), $[Mo_4S_4(H_2O)_{12}]^{n+}$ (n = 4–6) and $[Mo_4S_4(NH_3)_{12}]^{4+}$. X-ray structures of $Na_2[Mo_4S_4(edta)_2]\cdot 6H_2O$, $Ca_{1.5}[Mo_4S_4(edta)_2]\cdot 13H_2O$, $Mg_2[Mo_4S_4(edta)_2]\cdot 20H_2O$, $[Mo_4S_4(H_2O)_{12}](CH_3C_6H_4SO_3)_5\cdot 14H_2O$ and $[Mo_4S_4(NH_3)_{12}]Cl_4\cdot 7H_2O$, 251

structures and magnetic properties of Co(II)Cu(II) and Ni(II)Cu(II) compounds incorporating the obp = oxamidobis(*N,N'*-propionato) ligand, 271

structural and magnetic characterization of an adamantane-like complex ion of chromium(III) and 1,3,5-triaminocyclohexane, $[Cr_4(tach)_4(OH)_6]$, 281

synthesis, characterization, crystal structures and magnetic properties of di- and polynuclear bis(μ-3-pyridin-2-yl-1,2,4-triazolato)copper(II) compounds containing *N*-methylimidazole, pyrazole or 4,4'-bipyridine as co-ligands, 289

reaction of unsymmetrical thioalkynes $R\text{–}C{\equiv}C\text{–}SC_2H_5$, $R = CH_3$, C_6H_5, with iron and ruthenium carbonyls. How to build a polynuclear compound using the C–S cleavage, 323

synthesis, characterization, and X-ray crystal structure of a trimetallic diporphyrin complex, 337

Cubane-type complexes

syntheses and characterization of cubane-type clusters, $[Mo_4S_4(edta)_2]^{n-}$ (n = 2–4), $[Mo_4S_4(H_2O)_{12}]^{n+}$ (n = 4–6) and $[Mo_4S_4(NH_3)_{12}]^{4+}$. X-ray structures of $Na_2[Mo_4S_4(edta)_2]\cdot 6H_2O$, $Ca_{1.5}[Mo_4S_4(edta)_2]\cdot 13H_2O$, $Mg_2[Mo_4S_4(edta)_2]\cdot 20H_2O$, $[Mo_4S_4(H_2O)_{12}](CH_3C_6H_4SO_3)_5\cdot 14H_2O$ and $[Mo_4S_4(NH_3)_{12}]Cl_4\cdot 7H_2O$, 251

Cyanide complexes
binding modes of cyanide at trinuclear clusters. Crystal structure of $[Pt_3(\mu_3\text{-}CO)(CN)(dppm)_3][PF_6]$, 191
Cyclopentadienyl complexes
reaction of NO with $Cp^*_3Co_3(\mu\text{-}H)_4$ preserves the tricobalt cluster and produces $Cp^*_3Co_3(\mu_3\text{-}NO)_2$, 81

Diazoalkane complexes
retention of dinitrogen in the reactions of some diazoalkanes with a dirhodium complex. Crystal and molecular structures of $(\eta\text{-}C_5H_5)_2Rh_2\{CF_3C_2CF_3\cdot CO\cdot N_2CRR'\}$, RR′ = MePh and (t-Bu)$_2$, 139
Dinuclear complexes
reactions of the electron-rich triply bonded dirhenium(II) complexes $Re_2X_4(\mu\text{-dppm})_2$ (X = Cl, Br) with dioxygen. Part II. The synthesis and structural characterization of the complexes $ReOCl_3$(dppmO) (dppmO = $Ph_2PCH_2P(O)Ph_2$) and $Re_2(\mu\text{-}O)Cl_6(\mu\text{-dppm})_2$, 23
further considerations on the structure and bonding in edge-sharing bioctahedral complexes, 123
retention of dinitrogen in the reactions of some diazoalkanes with a dirhodium complex. Crystal and molecular structures of $(\eta\text{-}C_5H_5)_2Rh_2\{CF_3C_2CF_3\cdot CO\cdot N_2CRR'\}$, RR′ = MePh and (t-Bu)$_2$, 139
palladium–thallium interactions in dinuclear complexes with structural components that place the two metal centers in close proximity, 149
dinuclear nickel(II) complexes of a series of dinucleating macrocycles with similar or dissimilar coordination sites: synthesis, structure and physicochemical property, 183
electrochemical behaviour of tropone diiron pentacarbonyl complexes, $Fe_2(CO)_5[(RC_2R)_3CO]$ (R = Me, Et, n-Pr). Formation of a carbon–carbon bond upon reduction, 311
Dithiocarbamato complexes
new insights into the constitution of solutions containing labile, polynuclear compounds: an electrospray mass spectrometric study of mercury- and cadmium-rich dithiocarbamato cations, 233

Electrochemistry
syntheses and characterization of cubane-type clusters, $[Mo_4S_4(edta)_2]^{n-}$ (n = 2–4), $[Mo_4S_4(H_2O)_{12}]^{n+}$ (n = 4–6) and $[Mo_4S_4(NH_3)_{12}]^{4+}$. X-ray structures of $Na_2[Mo_4S_4(edta)_2]\cdot 6H_2O$, $Ca_{1.5}[Mo_4S_4(edta)_2]\cdot 13H_2O$, $Mg_2[Mo_4S_4(edta)_2]\cdot 20H_2O$, $[Mo_4S_4(H_2O)_{12}](CH_3C_6H_4SO_3)_5\cdot 14H_2O$ and $[Mo_4S_4(NH_3)_{12}]Cl_4\cdot 7H_2O$, 251
electrochemical behaviour of tropone diiron pentacarbonyl complexes, $Fe_2(CO)_5[(RC_2R)_3CO]$ (R = Me, Et, n-Pr). Formation of a carbon–carbon bond upon reduction, 311
Electronic structures
syntheses and characterization of cubane-type clusters, $[Mo_4S_4(edta)_2]^{n-}$ (n = 2–4), $[Mo_4S_4(H_2O)_{12}]^{n+}$ (n = 4–6) and $[Mo_4S_4(NH_3)_{12}]^{4+}$. X-ray structures of $Na_2[Mo_4S_4(edta)_2]\cdot 6H_2O$, $Ca_{1.5}[Mo_4S_4(edta)_2]\cdot 13H_2O$, $Mg_2[Mo_4S_4(edta)_2]\cdot 20H_2O$, $[Mo_4S_4(H_2O)_{12}](CH_3C_6H_4SO_3)_5\cdot 14H_2O$ and $[Mo_4S_4(NH_3)_{12}]Cl_4\cdot 7H_2O$, 251

Germanium complexes
synthesis and reactivity of 1,1,2,2-tetraphenyl 1,2-digermyldilithium, 51
Glycol complexes
polyethylene glycol complexation of Cd^{2+}. Structures of triethylene glycol complexes of $CdCl_2$, $CdBr_2$ and CdI_2, 225

Gold complexes
halide derivatives of palladium–gold cluster compounds. X-ray crystal and molecular structure of $(I)Pd(AuPPh_3)_7(AuI)_2$, 31

Halide complexes
halide derivatives of palladium–gold cluster compounds. X-ray crystal and molecular structure of $(I)Pd(AuPPh_3)_7(AuI)_2$, 31
polyethylene glycol complexation of Cd^{2+}. Structures of triethylene glycol complexes of $CdCl_2$, $CdBr_2$ and CdI_2, 225
Hydroborate complexes
borane cluster photochemistry. 2. Photochemical alcoholysis of the octahydrotriborate(1−) anion, 317
Hydroxo complexes
pentafluorophenyl trinuclear $[Pt_2Hg]$ and hexanuclear $[Pt_4Hg_2]$ anionic complexes containing unbridged Pt–Hg bonds and OH bridges, 105

Infrared spectroscopy
interpretation of the ν(CO) vibrational spectra of cluster compounds: $Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-}C_6H_6)$, 69
interpretation of the ν(CO) vibrational spectra of cluster compounds: tetrahedral anions $[Fe_2Ir_2(CO)_{12}]^{2-}$, $[HFe_2Ir_2(CO)_{12}]^-$ and $[FeIr_3(CO)_{12}]$, 75
Ion complexes
size and shape of molecular ions and their relevance to the packing of the 'soft salts', 5
Iridium complexes
interpretation of the ν(CO) vibrational spectra of cluster compounds: tetrahedral anions $[Fe_2Ir_2(CO)_{12}]^{2-}$, $[HFe_2Ir_2(CO)_{12}]^-$ and $[FeIr_3(CO)_{12}]$, 75
selective substitution and oxidative addition reactions at the iridium vertex in $[Re_7C(CO)_{21}Ir(C_8H_{14})(CO)]^{2-}$ and related clusters, 303
Iron complexes
iron(II) and sulfate binding by the binucleating ligands O-BISDIEN, O-BISTREN and O-BISBAMP, 15
interpretation of the ν(CO) vibrational spectra of cluster compounds: tetrahedral anions $[Fe_2Ir_2(CO)_{12}]^{2-}$, $[HFe_2Ir_2(CO)_{12}]^-$ and $[FeIr_3(CO)_{12}]$, 75
molecular structure and magnetic properties of copper(II), manganese(II) and iron(II) croconate tri-hydrate, 87
a bis(μ-isocyanide diiron) complex as chelating ligand towards iron(II), palladium(II), zinc(II) and cadmium(II). X-ray structural assessment of a novel isocyanide bridging mode, 207
synthesis, structure and magnetism of a tetranuclear Fe(III) complex containing an $[Fe_4(\mu_3\text{-}O)_2]^{8+}$ core, 241
electrochemical behaviour of tropone diiron pentacarbonyl complexes, $Fe_2(CO)_5[(RC_2R)_3CO]$ (R = Me, Et, n-Pr). Formation of a carbon–carbon bond upon reduction, 311
reaction of unsymmetrical thioalkynes R–C≡C–SC_2H_5, R = CH_3, C_6H_5, with iron and ruthenium carbonyls. How to build a polynuclear compound using the C–S cleavage, 323
Isocyanide complexes
a bis(μ-isocyanide diiron) complex as chelating ligand towards iron(II), palladium(II), zinc(II) and cadmium(II). X-ray structural assessment of a novel isocyanide bridging mode, 207

Kinetics and mechanism
substitution of methanol-d_4 for the coordinated water in the trinuclear complexes, $[M_3(\mu_3\text{-}O)(\mu\text{-}CH_3COO)_6(H_2O)_3]^+$ (M_3 = Ru_3, Rh_3 or Ru_2Rh) in methanol-d_4, 175

Macrocyclic ligand complexes
a polymeric tetraimine Schiff base macrocyclic complex of silver(I), 65
dinuclear nickel(II) complexes of a series of dinucleating macrocycles with similar or dissimilar coordination sites: synthesis, structure and physicochemical property, 183

Magnetism
molecular structure and magnetic properties of copper(II), manganese(II) and iron(II) croconate tri-hydrate, 87
structure and magnetic properties of a *syn–anti* carboxylate bridged linear trinuclear copper(II) complex with ferromagnetic exchange interaction, 115
synthesis, structure and magnetism of a tetranuclear Fe(III) complex containing an $[Fe_4(\mu_3\text{-}O)_2]^{8+}$ core, 241
structures and magnetic properties of Co(II)Cu(II) and Ni(II)Cu(II) compounds incorporating the obp = oxamidobis(*N,N′*-propionato) ligand, 271
structural and magnetic characterization of an adamantane-like complex ion of chromium(III) and 1,3,5-triaminocyclohexane, $[Cr_4(tach)_4(OH)_6]$, 281
synthesis, characterization, crystal structures and magnetic properties of di- and polynuclear bis(μ-3-pyridin-2-yl-1,2,4-triazolato)copper(II) compounds containing *N*-methylimidazole, pyrazole or 4,4′-bipyridine as co-ligands, 289

Manganese complexes
molecular structure and magnetic properties of copper(II), manganese(II) and iron(II) croconate tri-hydrate, 87
formation of a high valent di-μ-oxo manganese dimer in aqueous solution, 135

Mass spectrometry
new insights into the constitution of solutions containing labile, polynuclear compounds: an electrospray mass spectrometric study of mercury- and cadmium-rich dithiocarbamato cations, 233

Mercury complexes
pentafluorophenyl trinuclear $[Pt_2Hg]$ and hexanuclear $[Pt_4Hg_2]$ anionic complexes containing unbridged Pt–Hg bonds and OH bridges, 105
new insights into the constitution of solutions containing labile, polynuclear compounds: an electrospray mass spectrometric study of mercury- and cadmium-rich dithiocarbamato cations, 233

Metal complexes
size and shape of molecular ions and their relevance to the packing of the 'soft salts', 5
metal cluster topology. 14. Fusion of octahedra in metal carbonyl clusters, 57
a bis(μ-isocyanide diiron) complex as chelating ligand towards iron(II), palladium(II), zinc(II) and cadmium(II). X-ray structural assessment of a novel isocyanide bridging mode, 207

Molybdenum complexes
preparation of the new species $[W_3(\mu_3\text{-}O)(\mu\text{-}Cl)_2(\mu\text{-}O_2CMe)_4Cl_3]^-$ and $[Mo_3(\mu_3\text{-}O)(\mu\text{-}Cl)_4(\mu\text{-}O_2CMe)_2Cl_2(PMe_3)_2]^-$ that bracket, structurally, the very common $M_3(\mu_3\text{-}O)(\mu\text{-}X)_3(\mu\text{-}O_2CR_3)_3L_3$ type of cluster compound, 95
syntheses and characterization of cubane-type clusters, $[Mo_4S_4(edta)_2]^{n-}$ (n = 2–4), $[Mo_4S_4(H_2O)_{12}]^{n+}$ (n = 4–6) and $[Mo_4S_4(NH_3)_{12}]^{4+}$ X-ray structures of $Na_2[Mo_4S_4(edta)_2]\cdot 6H_2O$, $Ca_{1.5}[Mo_4S_4(edta)_2]\cdot 13H_2O$, $Mg_2[Mo_4S_4(edta)_2]\cdot 20H_2O$, $[Mo_4S_4(H_2O)_{12}](CH_3C_6H_4SO_3)_5\cdot 14H_2O$ and $[Mo_4S_4(NH_3)_{12}]Cl_4\cdot 7H_2O$, 251

Nickel complexes
dinuclear nickel(II) complexes of a series of dinucleating macrocycles with similar or dissimilar coordination sites: synthesis, structure and physicochemical property, 183
clusters in the step-by-step growth of solids, 219
structures and magnetic properties of Co(II)Cu(II) and Ni(II)Cu(II) compounds incorporating the obp = oxamidobis(*N,N′*-propionato) ligand, 271
synthesis, characterization, and X-ray crystal structure of a trimetallic diporphyrin complex, 337

Nitrosyl complexes
reaction of NO with $Cp^*_3Co_3(\mu\text{-}H)_4$ preserves the tricobalt cluster and produces $Cp^*_3Co_3(\mu_3\text{-}NO)_2$, 81

NMR
a reinvestigation of isomerism in the Dawson structure: syntheses and ^{183}W NMR structural characterization of three new polyoxotungstates $[X_2W_{18}O_{62}]^{6-}$ (X = P^V, As^V), 41

Oxo complexes
reactions of the electron-rich triply bonded dirhenium(II) complexes $Re_2X_4(\mu\text{-dppm})_2$ (X = Cl, Br) with dioxygen. Part II. The synthesis and structural characterization of the complexes $ReOCl_3(dppmO)$ (dppmO = $Ph_2PCH_2P(O)Ph_2$) and $Re_2(\mu\text{-}O)Cl_6(\mu\text{-dppm})_2$, 23
a reinvestigation of isomerism in the Dawson structure: syntheses and ^{183}W NMR structural characterization of three new polyoxotungstates $[X_2W_{18}O_{62}]^{6-}$ (X = P^V, As^V), 41
preparation of the new species $[W_3(\mu_3\text{-}O)(\mu\text{-}Cl)_2(\mu\text{-}O_2CMe)_4Cl_3]^-$ and $[Mo_3(\mu_3\text{-}O)(\mu\text{-}Cl)_4(\mu\text{-}O_2CMe)_2Cl_2(PMe_3)_2]^-$ that bracket, structurally, the very common $M_3(\mu_3\text{-}O)(\mu\text{-}X)_3(\mu\text{-}O_2CR_3)_3L_3$ type of cluster compound, 95
formation of a high valent di-μ-oxo manganese dimer in aqueous solution, 135
hydrothermal syntheses and structures of reduced and mixed valence polyoxovanadium clusters with capped cage cores: $K_3[H_{12}(AsO)_2(AsO_4)V_6^{IV}V_6^{V}O_{36}]\cdot 12H_2O$ and $Rb_5[(As_2O)_4(VO)_2V_{12}^{IV}O_{36}Cl]\cdot 2H_2O$, 199
synthesis, structure and magnetism of a tetranuclear Fe(III) complex containing an $[Fe_4(\mu_3\text{-}O)_2]^{8+}$ core, 241

Palladium complexes
halide derivatives of palladium–gold cluster compounds. X-ray crystal and molecular structure of $(I)Pd(AuPPh_3)_7(AuI)_2$, 31
palladium–thallium interactions in dinuclear complexes with structural components that place the two metal centers in close proximity, 149
clusters in the step-by-step growth of solids, 219
synthesis, characterization, and X-ray crystal structure of a trimetallic diporphyrin complex, 337

Phospha-alkyne complexes
synthesis and ^{31}P and ^{195}Pt NMR characterisation of the first binuclear platinum(I) complex $[Pt_2Cl_2(\mu\text{-dppm})_2(\mu\text{-}Bu^tCP)]$ containing a μ-parallel ligated phospha-alkyne, 265

Phosphine complexes
dirhenium complexes of the tripodal phosphine $CH_3C(CH_2PPh_2)_3$ (triphos). The isolation and characterization

of the confacial bioctahedral species [(triphos)-$Re(\mu\text{-}X)_3Re(triphos)]^{n+}$ ($n=1$ or 0), 157
Photochemistry
borane cluster photochemistry. 2. Photochemical alcoholysis of the octahydrotriborate(1−) anion, 317
Platinum complexes
synthesis and reactivity of 1,1,2,2-tetraphenyl 1,2-digermyldilithium, 51
pentafluorophenyl trinuclear [Pt_2Hg] and hexanuclear [Pt_4Hg_2] anionic complexes containing unbridged Pt–Hg bonds and OH bridges, 105
binding modes of cyanide at trinuclear clusters. Crystal structure of $[Pt_3(\mu_3\text{-}CO)(CN)(dppm)_3][PF_6]$, 191
synthesis and ^{31}P and ^{195}Pt NMR characterisation of the first binuclear platinum(I) complex $[Pt_2Cl_2(\mu\text{-}dppm)_2(\mu\text{-}Bu^tCP)]$ containing a μ-parallel ligated phospha-alkyne, 265
Polyaza macrocyclic complexes
iron(II) and sulfate binding by the binucleating ligands O-BISDIEN, O-BISTREN and O-BISBAMP, 15
Polydentate ligand complexes
dirhenium complexes of the tripodal phosphine $CH_3C(CH_2PPh_2)_3$ (triphos). The isolation and characterization of the confacial bioctahedral species [(triphos)-$Re(\mu\text{-}X)_3Re(triphos)]^{n+}$ ($n=1$ or 0), 157
electrochemical behaviour of tropone diiron pentacarbonyl complexes, $Fe_2(CO)_5[(RC_2R)_3CO]$ (R = Me, Et, n-Pr). Formation of a carbon–carbon bond upon reduction, 311
Polynuclear complexes
a reinvestigation of isomerism in the Dawson structure: syntheses and ^{183}W NMR structural characterization of three new polyoxotungstates $[X_2W_{18}O_{62}]^{6-}$ ($X=P^V$, As^V), 41
pentafluorophenyl trinuclear [Pt_2Hg] and hexanuclear [Pt_4Hg_2] anionic complexes containing unbridged Pt–Hg bonds and OH bridges, 105
structure and magnetic properties of a *syn–anti* carboxylate bridged linear trinuclear copper(II) complex with ferromagnetic exchange interaction, 115
new insights into the constitution of solutions containing labile, polynuclear compounds: an electrospray mass spectrometric study of mercury- and cadmium-rich dithiocarbamato cations, 233
synthesis, structure and magnetism of a tetranuclear Fe(III) complex containing an $[Fe_4(\mu_3\text{-}O)_2]^{8+}$ core, 241
structural and magnetic characterization of an adamantane-like complex ion of chromium(III) and 1,3,5-triaminocyclohexane, $[Cr_4(tach)_4(OH)_6]$, 281
reaction of unsymmetrical thioalkynes $R\text{–}C\equiv C\text{–}SC_2H_5$, $R=CH_3$, C_6H_5, with iron and ruthenium carbonyls. How to build a polynuclear compound using the C–S cleavage, 323
Porphyrin complexes
synthesis, characterization, and X-ray crystal structure of a trimetallic diporphyrin complex, 337
Potentiometry
iron(II) and sulfate binding by the binucleating ligands O-BISDIEN, O-BISTREN and O-BISBAMP, 15

Raman spectroscopy
interpretation of the ν(CO) vibrational spectra of cluster compounds: $Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-}C_6H_6)$, 69
interpretation of the ν(CO) vibrational spectra of cluster compounds: tetrahedral anions $[Fe_2Ir_2(CO)_{12}]^{2-}$, $[HFe_2Ir_2(CO)_{12}]^-$ and $[FeIr_3(CO)_{12}]$, 75
Rhenium complexes
reactions of the electron-rich triply bonded dirhenium(II) complexes $Re_2X_4(\mu\text{-}dppm)_2$ (X = Cl, Br) with dioxygen. Part II. The synthesis and structural characterization of the complexes $ReOCl_3(dppmO)$ (dppmO = $Ph_2PCH_2P(O)Ph_2$) and $Re_2(\mu\text{-}O)Cl_6(\mu\text{-}dppm)_2$, 23
dirhenium complexes of the tripodal phosphine $CH_3C(CH_2PPh_2)_3$ (triphos). The isolation and characterization of the confacial bioctahedral species [(triphos)-$Re(\mu\text{-}X)_3Re(triphos)]^{n+}$ ($n=1$ or 0), 157
selective substitution and oxidative addition reactions at the iridium vertex in $[Re_7C(CO)_{21}Ir(C_8H_{14})(CO)]^{2-}$ and related clusters, 303
Rhodium complexes
retention of dinitrogen in the reactions of some diazoalkanes with a dirhodium complex. Crystal and molecular structures of $(\eta\text{-}C_5H_5)_2Rh_2\{CF_3C_2CF_3\cdot CO\cdot N_2CRR'\}$, RR' = MePh and $(t\text{-}Bu)_2$, 139
substitution of methanol-d_4 for the coordinated water in the trinuclear complexes, $[M_3(\mu_3\text{-}O)(\mu\text{-}CH_3COO)_6(H_2O)_3]^+$ ($M_3=Ru_3$, Rh_3 or Ru_2Rh) in methanol-d_4, 175
Ruthenium complexes
interpretation of the ν(CO) vibrational spectra of cluster compounds: $Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-}C_6H_6)$, 69
substitution of methanol-d_4 for the coordinated water in the trinuclear complexes, $[M_3(\mu_3\text{-}O)(\mu\text{-}CH_3COO)_6(H_2O)_3]^+$ ($M_3=Ru_3$, Rh_3 or Ru_2Rh) in methanol-d_4, 175
reaction of unsymmetrical thioalkynes $R\text{–}C\equiv C\text{–}SC_2H_5$, $R=CH_3$, C_6H_5, with iron and ruthenium carbonyls. How to build a polynuclear compound using the C–S cleavage, 323

Schiff base complexes
a polymeric tetraimine Schiff base macrocyclic complex of silver(I), 65
Silver complexes
a polymeric tetraimine Schiff base macrocyclic complex of silver(I), 65
Solid state
size and shape of molecular ions and their relevance to the packing of the 'soft salts', 5
Stability constants
iron(II) and sulfate binding by the binucleating ligands O-BISDIEN, O-BISTREN and O-BISBAMP, 15
Structure and bonding
further considerations on the structure and bonding in edge-sharing bioctahedral complexes, 123
Sulfur complexes
syntheses and characterization of cubane-type clusters, $[Mo_4S_4(edta)_2]^{n-}$ ($n=2$–4), $[Mo_4S_4(H_2O)_{12}]^{n+}$ ($n=4$–6) and $[Mo_4S_4(NH_3)_{12}]^{4+}$. X-ray structures of $Na_2[Mo_4S_4(edta)_2]\cdot 6H_2O$, $Ca_{1.5}[Mo_4S_4(edta)_2]\cdot 13H_2O$, $Mg_2[Mo_4S_4(edta)_2]\cdot 20H_2O$, $[Mo_4S_4(H_2O)_{12}](CH_3C_6H_4SO_3)_5\cdot 14H_2O$ and $[Mo_4S_4(NH_3)_{12}]Cl_4\cdot 7H_2O$, 251

Tellurium complexes
clusters in the step-by-step growth of solids, 219
Thallium complexes
palladium–thallium interactions in dinuclear complexes with structural components that place the two metal centers in close proximity, 149
a chain copolymer from $WCl_2(PMe_2Ph)_4$ and $[TlOCH_2CF_3]_4$, 165

Thiazole complexes
synthesis, characterization, crystal structures and magnetic properties of di- and polynuclear bis(μ-3-pyridin-2-yl-1,2,4-triazolato)copper(II) compounds containing *N*-methylimidazole, pyrazole or 4,4′-bipyridine as co-ligands, 289
Thioalkyne complexes
reaction of unsymmetrical thioalkynes R–C≡C–SC_2H_5, R = CH_3, C_6H_5, with iron and ruthenium carbonyls. How to build a polynuclear compound using the C–S cleavage, 323
Transition metal complexes
further considerations on the structure and bonding in edge-sharing bioctahedral complexes, 123
Tridentate ligand complexes
structural and magnetic characterization of an adamantane-like complex ion of chromium(III) and 1,3,5-triaminocyclohexane, $[Cr_4(tach)_4(OH)_6]$, 281
Trinuclear complexes
reaction of NO with $Cp^*_3Co_3(\mu\text{-}H)_4$ preserves the tricobalt cluster and produces $Cp^*_3Co_3(\mu_3\text{-}NO)_2$, 81
substitution of methanol-d_4 for the coordinated water in the trinuclear complexes, $[M_3(\mu_3\text{-}O)(\mu\text{-}CH_3COO)_6(H_2O)_3]^+$ ($M_3 = Ru_3$, Rh_3 or Ru_2Rh) in methanol-d_4, 175
binding modes of cyanide at trinuclear clusters. Crystal structure of $[Pt_3(\mu_3\text{-}CO)(CN)(dppm)_3][PF_6]$, 191
Tungsten complexes
a reinvestigation of isomerism in the Dawson structure: syntheses and ^{183}W NMR structural characterization of three new polyoxotungstates $[X_2W_{18}O_{62}]^{6-}$ ($X = P^V$, As^V), 41
preparation of the new species $[W_3(\mu_3\text{-}O)(\mu\text{-}Cl)_2(\mu\text{-}O_2CMe)_4Cl_3]^-$ and $[Mo_3(\mu_3\text{-}O)(\mu\text{-}Cl)_4(\mu\text{-}O_2CMe)_2Cl_2(PMe_3)_2]^-$ that bracket, structurally, the very common $M_3(\mu_3\text{-}O)(\mu\text{-}X)_3(\mu\text{-}O_2CR_3)_3L_3$ type of cluster compound, 95
a chain copolymer from $WCl_2(PMe_2Ph)_4$ and $[TlOCH_2CF_3]_4$, 165

Vanadium complexes
hydrothermal syntheses and structures of reduced and mixed valence polyoxovanadium clusters with capped cage cores: $K_3[H_{12}(AsO)_2(AsO_4)V_6^{IV}V_6^{V}O_{36}]\cdot 12H_2O$ and $Rb_5[(As_2O)_4(VO)_2V_{12}^{IV}O_{36}Cl]\cdot 2H_2O$, 199